



12v Car Heating Core

GREENWWAY is a leading China 12v Car Heating Core manufacturer, supplier and exporter. Adhering to the pursuit of perfect quality of products, so that our 12v Car Heating Core have been satisfied by many customers.

Model:X5929TA

12V Car Heating Core


12v Car Heating Core are produced by implementing ceramic lamination processes. Due to the compactness, high power and rapid heating speed .Ceramic Heater can provide higher reliability than ever before. Mainly applications include use as innovative types of heaters in the automotive, medical and semiconductor industries.





Process of 12V Car Heating Core

12V Car Heating Core are protected from oxidation due to sintering into one-piece ceramic body structure.



Parameter of 12V Car Heating Core


| Shape | Dimension | Tolerance | | Tolerance | | Tolerance | Resistance Tolerance |
|-------|-------------|--|-----------|--|---------------|--------------------------|-------------------------|
| Plate | Length (mm) | | Width(mm) | | Thickness(mm) | | |
| | 10~120 | ①≤20+/-0.3 ②≥20+/-1 | 2~60 | ①≤20+/-0.3 ② ≥20+/-1 | 0.55~2.0 | ①≤1+/-0.1 ② ≥1+/-0.15 | +/-10% |
| | length | | Diameter | | | | |
| Rod | 8~121 | ①≥30mm:+/-0.5 ②30~100mm:+/-1.0 ③≤100mm~:+/-1.5 | 2.5~8 | ①≥5mm:+/-0.1 ②5~9mm:+/-0.2 ③≤9mm~:+/-0.3 | | | +/-10% |
| Tube | 8~121 | | 2.5~20 | | | | +/-10% |

12V Car Heating Core detail

| Main material | 95% aluminum | | |
|--------------------|-------------------------------|--|--|
| Certification | ISO9001,CE, Rohs,Reach | | |
| Price | Negotiable | | |
| Working Voltage | 12-14VDC | | |
| Length range | 20mm~60mm | | |
| Diameter Range | 2.5mm~3.8mm | | |
| Heating Resistance | Accordingly or already models | | |
| Heating Speed | Accordingly or already models | | |
| MOQ | 1 PCS | | |
| Delivery Date | Negotiable | | |



12V Car Heating Core Application



Packing and Delivery

The suitable packing should be taken to avoid the breakage and contamination during the shipment. If the heaters are not sufficient to full of carton, buffer materials can be used to ensure the shipping safety. Documents which including delivery note, inspection report(invoice)ect. Should be put into the carton, and outer carton should mark 'with documents inside'.

Tel: <u>+86-592-3327868</u> E-Mail 1: <u>service@xmgrwy.com</u> E-Mail 2: <u>infor@xmgrwy.com</u>





Fast International Express Delivery such as DHL,TNT,FEDEX, UPS ect.





Our Advantage

- 1. Aluminum Ceramic Heating Element Factory
- 2.On-line Employees more than 150~200
- 3. Customization are welcome
- 4. Heater Month Capacity: 550,000 piece
- 5. Quick Delivery time for already models: 1-3 days
- 6.Free Heater elements Samples are available

FAQ

1. Where does your products applied to?

Our products are widely used into the automobile components, soldering iron , soldering station, pellet burner and water heating and so on.

2.Do you accept custom design on size?

A:Yes, if the design is reasonable.

3. Could you print our company LOGO on the nameplate and package?

A:Yes, we can do that

 Tel:
 <u>+86-592-3327868</u>
 E-Mail 1: service@xmgrwy.com
 E-Mail 2: infor@xmgrwy.com